



Scaffold Competent Person Test

1. Access shall be provided to scaffold systems when the distance to/from the platform is _____ inches or greater.
2. All employees working off scaffolding shall be trained in the hazards associated with that type of scaffolding. TRUE FALSE
3. Each employee on a two-point adjustable suspension scaffold shall have two forms of fall protection, _____ & _____.
4. All fabricated frame scaffolds over 100' high must be designed by a professional engineer. TRUE
FALSE
5. Intermediate ties on scaffold systems wider (base) than 3' shall be no further than _____ feet apart.
6. It is recommended that you only raise a scissor lift when on a level surface. TRUE FALSE
7. Ladder jack scaffolds shall be no higher than _____ feet.
8. Mudsills shall be used on which type of surface. _____
9. Operators must use a personal fall arrest system when in a basket of a boomlift. TRUE FALSE
10. Platforms and walkways shall be a minimum of _____ inches wide.
11. Platforms shall be fully decked with maximum gaps of _____ inch.

12. Fall protection shall be provided on scaffold systems higher than _____ feet.
13. Rest areas on stair systems shall be provided at least every _____ feet.
14. A scaffold system and its components shall be capable of supporting its own weight and _____ times the intended load.
15. Scaffold systems with damaged components shall not be used. TRUE FALSE
16. The _____ shall inspect the scaffold system before each work shift and after any occurrence that affects the scaffold's structural integrity.
17. The top edge of guardrails on scaffolds shall be between _____ & _____ inches high.
18. The use of repaired wire rope is OK. TRUE FALSE
19. Toeboards shall be at least _____ inches high.
20. Wood platforms shall not be covered with paint. TRUE FALSE
21. Scaffold systems shall be at least _____ feet away from powerlines (50k volts or less).
22. Horizontal ties shall be no further than _____ feet apart.
23. Scaffold plank must overlap at least _____ inches or be restrained.
24. Outrigger scaffold systems shall be no further than _____ inches away from the face of the structure.
25. Crossbraces can be used for climbing. TRUE FALSE

Answers to the Scaffold Safety test

1. 24
2. True
3. Guardrails & PFAS
4. False
5. 26
6. True
7. 20
8. Dirt-Soft
9. True
10. 18
11. 1
12. 10
13. 12
14. 4
15. True
16. Competent person
17. 38 & 45
18. False
19. 3 ½
20. True
21. 10
22. 30
23. 12
24. 3
25. False